Amendment – Ser. No. 10/809,094 October 15, 2007 Page 2

## IN THE CLAIMS

Kindly amend the claims as shown in the following complete listing:

- 1. (Canceled)
- 2. (Currently Amended) An apparatus for sterilizing and sanitizing water circuits , especially the water circuits of dental units comprising: that include a user fluid (F) supply line (1) adapted to be connected, at one end, to an associated mains water supply (2) and connected, at the other end, to the dental unit through a first branch (3) of the dental unit for supplying a series of devices comprising a plurality of handpieces (4); the apparatus being wherein it comprises comprising:

a first unit (9) containing a first disinfectant/sterilizing fluid (F1) connected to a third independent branch (10) for supplying the first fluid (F1) at least to the first branch (3) to permit performance of programmable discontinuous sterilization or sanitisation sanitization cycles in the first branch (3);

a second unit (12) containing comprising a second sterile, disinfectant or medicinal fluid (F2) connected to the first branch (3) and continuously supplying the second fluid (F2) to the first supply branch (3) independently of, and as an alternative for, the user fluid (F) from the supply line (1), the second unit (12) comprising a second container (17) for holding a sterile liquid and a third container (19) holding a disinfectant or medicinal product to be mixed with the sterile liquid by respective dosing means (20) acting between the second container (17) and the third container (19) in such a way as to supply at least the first branch (3) with the second fluid (F2) having properties suitable for the treatment to be carried out;

control means (30) acting on at least one of the first and second units (9, 12) and designed to select the supply of the first or of the second fluid (F1, F2) according to the operating configuration of the dental unit, that is to say, said control means selecting a continuous steady-state supply of the first branch (3) with the second fluid (F2) or

Amendment – Ser. No. 10/809,094 October 15, 2007 Page 3

<u>discontinuous</u> sterilization/disinfection cycles of the first branch (3)<u>with the first fluid (F1);</u> and,

product detection means (33) acting on the first unit (9) and on the control means (30) to enable activation of a continuous supply cycle when the second fluid (F2) is detected and discontinuous sterilization or sanitization cycle when the first fluid (F1) is detected.

- 3. (Original) The apparatus according to claim 2, wherein the second unit (12) is equipped with second control means (13) for enabling a continuous supply of the second fluid (F2), when required, in the first branch (3).
- 4. (Original) The apparatus according to claim 2, wherein the second unit (12) that supplies the second fluid (F2) is connected directly to the first fluid supply branch (3).
- 5. (Original) The apparatus according to claim 2, wherein the second unit (12) that supplies the second fluid (F2) is connected to the third independent branch (10) leading into the first branch (3).
- 6. (Original) The apparatus according to claim 2, wherein the second unit (12) is equipped with second control and selection means (13) for supplying the second fluid (F2) and synchronized with means (14) for supplying a user fluid (F) and with first means (11) for supplying a first disinfectant/sterilizing fluid (F1).
  - 7. (Canceled)
  - 8. (Canceled)
- 9. (Original) The apparatus according to claim 2, wherein the first unit (9) comprises at least one first container (15), holding the first fluid (F1), and first means (16) for extracting the first fluid (F1) and introducing it into the third branch (10).

8/13

· nw

Amendment – Ser. No. 10/809,094 October 15, 2007 Page 4

10. (Currently Amended) The apparatus according to claim 2, wherein the second unit (12) comprises a second container (17) for holding the second fluid (F2) consisting of comprises a liquid mixed with a suitable product to produce a second sterile, disinfectant or medicinal fluid (F2); the second container (17) being removably connected, through a stable fastening element (18) equipped with second means (18a) for extracting the second fluid mixture (F2).

## 11. (Canceled)

- 12. (Currently Amended) The apparatus according to <u>claim 2</u> elaim 1, wherein the control means (30) comprise a logical selection unit (31) connected to the first and second means (11, 13) for selecting the first or second fluid supply (F1, F2) according to operating requirements, and designed to enable continuous supplying of the second fluid (F2) to each single handpiece (4) selected or to perform cycles of predetermined length and with predetermined quantities of the first fluid (F1).
- 13. (Original) The apparatus according to claim 10, wherein the disinfectant or medicinal product in the third container (19) is in liquid form.
- 14. (Original) The apparatus according to claim 10, wherein the disinfectant or medicinal product in the third container (19) is in powder form.
- 15. (Original) The apparatus according to claim 10, wherein the disinfectant or medicinal product in the third container (19) is in granulated form.
- 16. (Original) The apparatus according to claim 10, wherein the third container (19) is connected to a respective cap (19a) equipped with a cannula (19c) for extracting the product and connected, through a respective conduit (21), to a branch (17a) for supplying the second container (17) and equipped with the dosing means (20).

nw

Amendment – Ser. No. 10/809,094 October 15, 2007 Page 5

- 17. (Original) The apparatus according to claim 6, wherein the second control and selection means (13) are coordinated with the means (14) that supply the fluid (F) from the mains so as to allow the second container unit (12) to simultaneously introduce the second sterile, disinfectant or medicinal fluid (F2) into the mains fluid (F) from the supply line (1).
- 18. (Currently Amended) The apparatus according to <u>claim 2</u> elaim 1, wherein the second fluid (F2) is at least a liquid consisting of sterile water mixed with a disinfectant or medicinal product.
- 19. (Currently Amended) The apparatus according to <u>claim 2 elaim 1</u>, wherein the second fluid (F2) is at least a liquid consisting of purified sterile water mixed with a disinfectant or medicinal product.
- 20. (Currently Amended) The apparatus according to <u>claim 2</u> elaim 1, wherein the second fluid (F2) is at least a liquid consisting of a 0.1% physiological saline solution mixed with a disinfectant or medicinal product.
- 21. (Currently Amended) The apparatus according to <u>claim 2 elaim 1</u>, wherein the second fluid (F2) consists of hydrogen peroxide at final concentrations, when mixed with water, of between 0.1 and 3%.
- 22. (Currently Amended) The apparatus according to <u>claim 2 elaim 1</u>, wherein the second fluid (F2) consists of a sterile liquid mixed with Chlorhexidine in quantities of between 0.002 and 0.2 as the final concentration.
- 23. (Currently Amended) The apparatus according to <u>claim 2 elaim 1</u>, wherein the second fluid (F2) consists of a sterile liquid mixed with Triclosan in quantities of between 0.005 and 0.5 as the final concentration.
  - 24. (Canceled)